


# ThermoSlab®

Congratulations on your purchase of ThermoSlab™ heating mat designed for imbedding in the slab for storage floor and space heating. ThermoSlab is an energy efficient way to enjoy the luxury of safe, soothing, warm floors.



[Click here for Installation Guidelines](#)

## THERMOSLAB® MATS 120 Volts

### 14 Inch Width

Mat SKU	Cable SKU	Mat Length Ft.	Coverage S.F.	Watts	Amps
TSLM014W14-120	TS55-120	14	16.3	348	2.9
TSLM022W14-120	TS85-120	22	25.7	516	4.3
TSLM029W14-120	TS115-120	29	33.8	696	5.8
TSLM036W14-120	TS145-120	36	42.0	876	7.3
TSLM043W14-120	TS175-120	43	50.2	1056	8.8
TSLM050W14-120	TS200-120	50	58.3	1200	10.0
TSLM057W14-120	TS230-120	57	66.5	1380	11.5
TSLM073W14-120	TS290-120	73	85.2	1740	14.5
TSLM083W14-120	TS330-120	83	96.8	2016	16.8
TSLM094W14-120	TS375-120	94	109.7	2256	18.8

### 16 Inch Width

Mat SKU	Cable SKU	Mat Length Ft.	Coverage S.F.	Watts	Amps
TSLM012W16-120	TS55-120	12	16.0	348	2.9
TSLM019W16-120	TS85-120	19	25.3	516	4.3
TSLM026W16-120	TS115-120	26	34.7	696	5.8
TSLM032W16-120	TS145-120	32	42.7	876	7.3
TSLM039W16-120	TS175-120	39	52.0	1056	8.8
TSLM044W16-120	TS200-120	44	58.7	1200	10.0
TSLM051W16-120	TS230-120	51	68.0	1380	11.5
TSLM064W16-120	TS290-120	64	85.3	1740	14.5
TSLM073W16-120	TS330-120	73	97.3	2016	16.8
TSLM083W16-120	TS375-120	83	110.7	2256	18.8

**THERMOSLAB® MATS**  
**120 Volts**

**18 Inch Width**

Mat SKU	Cable SKU	Mat Length Ft.	Coverage S.F.	Watts	Amps
TSLM011W18-120	TS55-120	11	16.5	348	2.9
TSLM017W18-120	TS85-120	17	25.5	516	4.3
TSLM023W18-120	TS115-120	23	34.5	696	5.8
TSLM028W18-120	TS145-120	28	42.0	876	7.3
TSLM034W18-120	TS175-120	34	51.0	1056	8.8
TSLM039W18-120	TS200-120	39	58.5	1200	10.0
TSLM045W18-120	TS230-120	45	67.5	1380	11.5
TSLM056W18-120	TS290-120	56	84.0	1740	14.5
TSLM064W18-120	TS330-120	64	96.0	2016	16.8
TSLM073W18-120	TS375-120	73	109.5	2256	18.8

**24 Inch Width**

Mat SKU	Cable SKU	Mat Length Ft.	Coverage S.F.	Watts	Amps
TSLM008W24-120	TS55-120	8	16.0	348	2.9
TSLM012W24-120	TS85-120	12	24.0	516	4.3
TSLM017W24-120	TS115-120	17	34.0	696	5.8
TSLM021W24-120	TS145-120	21	42.0	876	7.3
TSLM025W24-120	TS175-120	25	50.0	1056	8.8
TSLM029W24-120	TS200-120	29	58.0	1200	10.0
TSLM034W24-120	TS230-120	34	68.0	1380	11.5
TSLM043W24-120	TS290-120	43	86.0	1740	14.5
TSLM049W24-120	TS330-120	49	98.0	2016	16.8
TSLM056W24-120	TS375-120	56	112.0	2256	18.8

**36 Inch Width**

Mat SKU	Cable SKU	Mat Length Ft.	Coverage S.F.	Watts	Amps
TSLM006W36-120	TS55-120	6	18.0	348	2.9
TSLM009W36-120	TS85-120	9	27.0	516	4.3
TSLM012W36-120	TS115-120	12	36.0	696	5.8
TSLM015W36-120	TS145-120	15	45.0	876	7.3
TSLM018W36-120	TS175-120	18	54.0	1056	8.8
TSLM020W36-120	TS200-120	20	60.0	1200	10.0
TSLM023W36-120	TS230-120	23	69.0	1380	11.5
TSLM030W36-120	TS290-120	30	90.0	1740	14.5
TSLM034W36-120	TS330-120	34	102.0	2016	16.8
TSLM039W36-120	TS375-120	39	117.0	2256	18.8

**THERMOSLAB® MATS**  
**240 Volts**

**14 Inch Width**

Mat SKU	Cable SKU	Mat Length Ft.	Coverage S.F.	Watts	Amps
TSLM075W14-240	TS300-240	75	87.5	1728	7.2
TSLM089W14-240	TS355-240	89	103.8	2064	8.6
TSLM104W14-240	TS415-240	104	121.3	2400	10.0
TSLM118W14-240	TS470-240	118	137.7	2760	11.5
TSLM133W14-240	TS530-240	133	155.2	3096	12.9
TSLM149W14-240	TS595-240	149	173.8	3480	14.5
TSLM170W14-240	TS680-240	170	198.3	3984	16.6

**16 Inch Width**

Mat SKU	Cable SKU	Mat Length Ft.	Coverage S.F.	Watts	Amps
TSLM066W16-240	TS300-240	66	88.0	1728	7.2
TSLM079W16-240	TS355-240	79	105.3	2064	8.6
TSLM092W16-240	TS415-240	92	122.7	2400	10.0
TSLM104W16-240	TS470-240	104	138.7	2760	11.5
TSLM118W16-240	TS530-240	118	157.3	3096	12.9
TSLM132W16-240	TS595-240	132	176.0	3480	14.5
TSLM151W16-240	TS680-240	151	201.3	3984	16.6

**18 Inch Width**

Mat SKU	Cable SKU	Mat Length Ft.	Coverage S.F.	Watts	Amps
TSLM059W18-240	TS300-240	59	88.5	1728	7.2
TSLM069W18-240	TS355-240	69	103.5	2064	8.6
TSLM081W18-240	TS415-240	81	121.5	2400	10.0
TSLM092W18-240	TS470-240	92	138.0	2760	11.5
TSLM104W18-240	TS530-240	104	156.0	3096	12.9
TSLM116W18-240	TS595-240	116	174.0	3480	14.5
TSLM133W18-240	TS680-240	133	199.5	3984	16.6

**24 Inch Width**

Mat SKU	Cable SKU	Mat Length Ft.	Coverage S.F.	Watts	Amps
TSLM044W24-240	TS300-240	44	88.0	1728	7.2
TSLM053W24-240	TS355-240	53	106.0	2064	8.6
TSLM061W24-240	TS415-240	61	122.0	2400	10.0
TSLM069W24-240	TS470-240	69	138.0	2760	11.5
TSLM078W24-240	TS530-240	78	156.0	3096	12.9
TSLM088W24-240	TS595-240	88	176.0	3480	14.5
TSLM101W24-240	TS680-240	101	202.0	3984	16.6

**THERMOSLAB® MATS**  
**240 Volts**

**36 Inch Width**

<b>Mat SKU</b>	<b>Cable SKU</b>	<b>Mat Length Ft.</b>	<b>Coverage S.F.</b>	<b>Watts</b>	<b>Amps</b>
TSLM031W36-240	TS300-240	31	93	1728	7.2
TSLM037W36-240	TS355-240	37	111	2064	8.6
TSLM043W36-240	TS415-240	43	129	2400	10
TSLM048W36-240	TS470-240	48	144	2760	11.5
TSLM054W36-240	TS530-240	54	162	3096	12.9
TSLM061W36-240	TS595-240	61	183	3480	14.5
TSLM070W36-240	TS680-240	70	210	3984	16.6